



D.e-Express Registered user's manual

Ver. 2015-11-25

TOYOTA DIGITAL CRUISE, INC.

[INDEX]

1. Login
 2. Sending
 3. Approve/Reject for send
 4. Receive
 5. Reply
 6. Star
 7. Delete
 8. Search messages
 9. Detailed status
 10. Addressbook
 11. Draft
 12. Preference
 13. Send with ActiveX Plug-in
 14. Receive with ActiveX Plug-in
 15. High-Speed option
 16. Cancellation
 17. Log viewer
-

1. Login

1. Open Internet Explorer and enter the URL(<https://mailbox.exp.d-cruise.jp/twsm/main>) of D.e-Express into the address-bar.
2. Enter [UserID] and [Password]. Then, Click [Login] button.

Login Window

D.e Express

D.e-Express

UserID(E-mail address)

Password

Login

[Password reset HERE](#)

Service information


1. Service Time Period

- From Monday 6:00 to Saturday 24:00 [JST]
*Please consider there is an exception in case of emergency maintenance.

2. Maintenance and Systems Fault

- 2015/10/4 00:00 - 2015/10/5 06:00 [JST] : (Regular) <Stopped by Schedule> / For Server Maintenance

3. D.e-Express main window will be opened, if you get authorized successfully with correct ID/Password.



[NOTE] Please close all windows of the browser to logout. (* Be careful if you use shared PC.)

2. Sending


**[NOTE] You can't see [New message] button if you don't have permission to use sending functions.
(For example, free users don't have permission)**

1. Click [New Message] button and you'll see a menu that listing available send-methods(*).
==> Select a suitable item for your sending from the menu.

New Message window will be opened.

* It's called [Send function] in this system.

Calling Sending Function



[NOTE] Some of these entry fields may be invisible or fixed value by configuration.

2. Click on [TO] [ReportTo] button opens a window and select addressees.(* [TO] is the required field.)
 (Note that these sequence is for picking pre-registered addressees under mutual disclosure agreement.
 If you pick non-registered addressees, please skip to the paragraph 7.)

New Message Window

https://mailbox.exp.d-cruise.jp/bwsm/main D.e-Express

File Edit View Favorites Tools Help

TEST MAKER1 CORPORATION 05tar0 user05 Transfer mode: Plugin(High-Speed)

New message

Mailbox
 Star
 Inbox
 Sent
 Draft
 Trash
 Approval
 Request
 Result

Clear

Standard[AAA]

From: user_05@test-maker1.jp.d-cruise.co.jp

To:

ReportTo:

Subject: Label:

Attached:

Name	Size	Full Path
Plugin mode		

Refer
Delete

Keeping days: default Download password: ☐

Message:

Approver:

Comment to approver:


Send Save Save as new Cancel

3. Tree view of companies and its divisions hierarchy is shown in the left hand of the window.(Use filtering or searching keyword to narrow addressee candidates.)

On the right hand, persons(users) will be listed those are belong to the organization you selected.

* This is available only for pre-registered addressees under mutual disclosure agreement.


Destination Select Window



[Ref] You can group multiple users and label it as address candidate in 'Group list'.

* Group list have to be pre-registered.

Group list




4. Click a triangle that's on left beside of each folder to open a node, and select an organization to which the target person may belongs.

==> The involved persons(users) will be listed on the right hand.

* Persons can be listed up to 100 at once. Please narrow with keywords if you get more than 100.

Select Company or Division




5. Double click on a target person to pick as an addressee. That one(s) will be added on the list below.

You can remove those added names from the list by

'Delete' button or 'Delete all' button.

* You can also check a checkbox beside a target person name, and click [Add to 'To'] button.

Select Destination Addresses




[Memo] Sending completion and downloading notice will be sent to "ReportTo" address.

* Downloading the attachment files is not available on "ReportTo" address users.


- A. Select address on "ReportTo"
- B. Click on "Add to ReportTo"
- C. The email address will be set to "ReportTo"

Select "ReportTo" Addresses



6. Click [Set 'To'] button to decide addressee as listed in 8, and reflect them into 'To' field.

Set Destination Addresses



7. You can type addresses directly(*) into 'To' field if you need to send a message to users those are not in the tree view.
If the recipient doesn't have D.e-Express ID (or non-registered user) , a login password(*) will be given automatically by an e-mail from the system to the recipient.

This password is one time use only and it's valid on a message(Every message has different one time password).

Place a comma(',') or semicolon(';') to delimit multiple addresses and the addresses can be set up to 100.

All specified addresses will be disclosed to each recipient(*).

You have to send by separate message if you want to conceal addresses as BCC of e-mail.

* Except for non-registered recipient.

[NOTE] Please be careful not to make typing mistakes of e-mail addresses.

Entry for Destination Address

The screenshot shows the 'Entry for Destination Address' window in the D.e-Express web interface. The window has a sidebar on the left with a 'New message' button and a folder tree including Mailbox, Star, Inbox, Sent, Draft, Trash, Approval, Request, and Result. The main area contains a form for composing a message. The 'From' field is 'user_05@test-maker1.jp.d-cruise.co.jp'. The 'To' field contains 'user_01@test-maker1.jp.d-cruise.co.jp, unregistered@example.com'. The 'ReportTo' field is 'report-to@test-maker1.jp.d-cruise.co.jp'. The 'Subject' field is empty. The 'Attached' section has a 'Plugin mode' button. The 'Keeping days' dropdown is set to 'default'. The 'Download password' checkbox is unchecked. The 'Message' field is empty. The 'Approver' dropdown is empty. The 'Comment to approver' field is empty. The 'Transfer mode' dropdown is set to 'Standard'. The 'Send', 'Save', 'Save as new', and 'Cancel' buttons are at the bottom.

[NOTE] Some of these entry fields may be invisible or fixed value by configuration.

8. Input email address on "ReportTo" for unregistered user(This "ReportTo" accepts unregistered address on every sending function).

Maximum 100 email addresses are available with ","(comma) or ";"(semi-colon) separated.

The addresses on "ReportTo" will be displayed on CC of "Sending completion" and "Downloading"notification email.

(Unregistered email address will be shown only in "Sending completion" notification email.)

[Ref] Switching ON/OFF of "ReportTo"

	Sending completion	Downloading completion
D.e-Express registered	Initial default : ON * Available switching ON/OFF on "Personal preference"	Initial default : OFF * Available switching ON/OFF on "Personal preference"
D.e-Express unregistered	ON (Not available to switch ON/OFF)	OFF (Not available to switch ON/OFF)

* Registered user can switch ON/OFF with reading [12. Preference]

Entry for "ReportTo" Address

The screenshot shows a web browser window with the URL <https://mailbox.exp.d-cruise.jp/bwsm/main>. The browser's address bar shows 'D.e-Express'. The page title is 'Standard[AAA]'. The user is logged in as 'TEST MAKER1 CORPORATION 05taro user05'. The 'Transfer mode' is set to 'Standard'. On the left, there is a sidebar with a 'New message' button and a folder tree containing Mailbox, Star, Inbox, Sent, Draft, Trash, Approval, Request, and Result. The main form area has the following fields:

- From:** user_05@test-maker1.jp.d-cruise.co.jp
- To:** (empty)
- ReportTo:** report-to@example.com
- Subject:** (empty)
- Label:** (empty dropdown)
- Attached:** (empty area with 'Add' and 'Delete' buttons)
- Keeping days:** default (dropdown)
- Download password:** (checkbox and input field)
- Message:** (large text area)
- Approver:** (empty dropdown)
- Comment to approver:** (empty text area)

At the bottom of the form are four buttons: 'Send', 'Save', 'Save as new', and 'Cancel'.

9. Enter a message subject into 'Subject' field. <REQUIRED>
10. Select a 'Label' that system prepared. This is for tagging/sorting in an optional manner.
'Document', 'Reference', 'Approval', 'Formal' and 'Preliminary' are available.

Fill-in message

[NOTE] Some of these entry fields may be invisible or fixed value by configuration.

11. For security purpose, you can shorten downloadable period for recipients by setting 'Keeping days'.
You can select from 1-15 days. By 'default', it will be kept for 30 days after arrival (15 days for non-registered recipients).
12. 'Download password' sets the password on downloading attachment files.
the LOGIN PASSWORD(set by registered recipient users according to his/her ID) or ONETIME PASSWORD(automatically issued by D.e-Express system to non-registered recipients on everytime you send a message) is ALWAYS REQUIRED when recipients login before download.
Check the 'Download password' for entering a password.
* This password is required only for recipients to download the password protected files, senders and approvers are not required. Recipient(s) will receive a password notification e-mail from the server, if you send with a password.

Type of Password


Download password (Set by sender)	Operation that's required for receiver	
	On Login	On Download
With password	Login password is always required.	Download password is required
Without password	Onetime password will be required if the recipient is a non-registered user	No Download password is required.

Characters can be used as password

Characters	Available
Alpha-numeric	A~Z, a~z, 0~9
Symbols	! @ # \$ % ^ & _ + - = ; , . /

13. Enter message body into 'Message' field.

14. Select an approver for the message from 'Approver'(*). <REQUIRED>
 * Need to be registered in advance. If you select yourself as an approver, the following approve/reject operation will be omitted.
15. Enter for 'Comment to approver' field.
16. Click [Add] button.
 ==> Attachment file selector window will be opened.
17. Click [Browse...] button.



==> File chooser dialog will be opened.

18. Select a file(*) you want to send, and click [Open] button.
 ==> Selected file will be entered as attachment.

File chooser dialog



Limitation and condition of attachment files/folders


Item	Limitation/condition
Length of file name	224 letters and 255 bytes(UTF-8) at max.
File type	No limitation(Configurable by send function.)
Prohibited Characters on file name	* < > " ¥ / : ? % , & (Highlighted characters are prohibited on Windows)
Numbers of files/File size	2,000MB/Max 5 files (One message can have maximum 100GB attachment files that's combination of maximum 2000MB files.)

* To attach folders, you need to [install ActiveX Plug-in](#) or archive before upload it.


19. Click [Attach] button to start uploading.

[NOTE] DO NOT edit or delete the attached file while uploading.

Upload file(s)



Uploading



[Ref] You can edit other input fields while uploading. Click [Cancel] button to terminate uploading.

20. Click [Send] button to send the message.

[Ref] Your sent message is stored in 'Sent' folder(*).

* It's deleted after 30 days for files/folders, 365 days for message record.

Do send (Request for approval)

The screenshot shows a web browser window with the URL <https://mailbox.exp.d-cruise.jp/bwsm/main>. The page title is "TEST MAKER1 CORPORATION 05taro user05". The "Transfer mode" is set to "Standard". The "New message" button is visible. The "Mailbox" sidebar shows folders: Mailbox, Star, Inbox, Sent, Draft, Trash, Approval, Request, and Result. The "Standard[AAA]" form has the following fields:

- From:** user_05@test-maker1.jp.d-cruise.co.jp
- To:** user_01@test-maker1.jp.d-cruise.co.jp, unregistered@example.com
- ReportTo:** report-to@example.com
- Subject:** About the material
- Label:** Document
- Attached:** About PC Environment.doc (60.2 KB), Manual.pdf (100 MB)
- Keeping days:** 9 days
- Download password:** ☒ [password field]
- Message:** Hello, I'm sending you the documents about D.e-Express. Please read through it once. Thank you, Gotaro
- Approver:** 01taro user01
- Comment to approver:** This is our customer requested to have. Please approve it.

Buttons at the bottom: Send, Save, Save as new, Cancel.

21. Depends on configuration, there may be allowed to send to non-registered user (called One-time sending).

Under One-time sending available, you'll see a warning like this. Please verify addresses in 'To' field.

Alert dialog on sending (Request for approval)

The alert dialog box has the title "Message from webpage". It contains a question mark icon and the following text:

[CAUTION]
This sending function allows you sending the message to users who are not registered.
Please verify the address(es) is correct since this message can be lost on delivery if it contains typo.

Are you sure you send this message with the address(es) as above?

Buttons: OK, Cancel.

3. Approve/Reject for send

1. A notification e-mail like this will be sent to the person who is specified as an approver on the message.

* The sender will also receive it as CC.


2. Click URL on the e-mail to login([Ref.] 1. Login).

'Request' folder in 'Approval' folder will be opened.

[Ref] Every approval request message will delivered into 'Request' folder in 'Approval' folder.

Therefore, you can just login and open that folder to make approval for any message you have.


Approval request notification



[Ref] You'll get a follow-up e-mail like this, if you leave approval requests.
This e-mail is sent once a day until you approve or reject all of requests.


[Memo] You can disable this e-mail at 'Personal preference'([Ref.] 12.Preference).

Approval follow-up




3. Automatically, searching the message that's specified on notification e-mail.
Click 'Request' folder if you don't have a notification e-mail to open the approval request message.

Searching the message




- Click the target message from the message list.




- Verify the contents and addresses of the message whether it's okay to send.
- Please see download instruction([Ref.] 4. Receive) to check the actual files to be sent.
- Click [Approve] button or [Reject] button to give your decision.
==> Approval/Reject comment entry dialog will be opened.

8. Enter your comment about your approval decision.

Approval comment entry




Rejection comment entry




9. Click [Approve] / [Reject] button on the comment window to finalize it.
- ==> Request message is moved from 'Request' folder to 'Result' folder.
 - ==> Original sender will have notification e-mail of the approval result.

10. Result notification e-mails are as below.

Approval result notification




Sent notification



[Ref] If a sender specified wrong recipient e-mail address and it bounced, the sender will get a bounce notification e-mail as follows.
(It depends on the recipient's e-mail server)


Bounce notification




4. Receive

1. You will have a notification e-mail of new message arrived.
2. A message will be expired after download period(*). Please download within the term.
 * It's deleted after 30 days for files/folders, 365 days for message record, normally.
 Only 15 days for those recipients who don't have D.e-Express ID.
 * It can be shorten by the sender.
3. Click URL on the e-mail to login([Ref.] 1. Login).
 ==> 'Inbox' folder in 'Mailbox' folder will be opened.

Arrived notification




[Ref] You will receive a password notification e-mail as below, if the sender set the download password.



4. Copy(press Ctrl-key and C-key) the password string from the e-mail since it's required to download attached files even if you already logged in.
5. Automatically, searching the message that's specified on notification e-mail.
 Click 'Inbox' folder if you don't have any notification e-mail to open the arrived message.



6. Click a file name anchor (which is underlined) to download the file(*).



* Click a folder item to move down into subfolders, and you can download files in it.

[Ref] Icons in [File] column will appear as below according to attached files state of each message.

Icon	Condition of the attached file
	With Password
	With Password (Deleted)
	Without Password
	Without Password (Deleted)

7. Password is required if the sender set to it.

Enter the password into [Download password] from the password notification e-mail.

Download password

The screenshot shows a web browser window with the URL <https://mailbox.exp.d-cruise.jp/twsm/main?bx=mbx&fr=in>. The browser is D.e-Express. The page title is "TEST MAKER1 CORPORATION 01tarō user01". The interface includes a "New message" dropdown, "Reload", "Download(Selected)*Plugin", and "Delete" buttons. The "Transfer mode" is set to "Standard".

The left sidebar shows a folder structure: Mailbox, Star, Inbox (selected), Sent, Draft, Trash, Approval, Request (1), and Result. A "Clear" button is next to the "Approval" folder.

The main content area is titled "Mailbox/Inbox". It shows a message list with columns: MessageID, Label, Date, Status, From, and Subject. The selected message is "test send" from "user_05@test-maker1.jp.d-cruise" on "Wed 11 11 17:35, 2015" with status "Arrived".

Below the message list, there are "20" items per page, "Page: 1 of 1", and "Displaying 1 to 1 of 1 items".


The message details for "test send" are shown, including "From: user_05@test-maker1.jp.d-cruise.co.jp", "To: user_01@test-maker1.jp.d-cruise.co.jp", "Date: Wed 11 11 17:35, 2015", and "MessageID: AAA15111210350001@JP1". Buttons for "Reply", "Delete", and "Check status" are present.

The "Attached file list" shows a total size of 60.2 KB, expired on 12/12/2015, and a "Download *Plugin" button. Below this is a "Download password" field with a masked password "*****" and an "Unlock" button.


The message content is "test send with download password".

[Memo] This is the sequence example on Windows7/Internet Explorer 9.

8. Click a triangle mark of [Save] button, then select [Save as].




9. Choose a folder to save in, and click [Save] button.
==> Downloading will start soon.




10. After download complete, click [Open folder] button to access where it is.

Downloaded option




Downloaded file



11. Every time when you download, the sender will receive a notification e-mail as below.

* Senders can stop these notifications by their own preferences([Ref.] 12. Preference)


Download notification



[Ref] You'll get a follow-up e-mail like this, if you leave arrived messages.
This e-mail is sent once a day until you download or delete all of your messages.

[Memo] You can disable this e-mail at [\[Ref.\] 12. Preference](#)

Download reminder



5. Reply

1. Click a message from the message list.
2. If the message has reply permission(*), [Reply] button is shown.
Click [Reply] button and go to Reply message window.

* Permission is preset for each send function. Also you can not reply to a replied message.

Message to reply

The screenshot shows a web browser window with the URL <https://mailbox.exp.d-cruise.jp/bwsm/main?ba=mbx&fr>. The browser title is 'D.e-Express'. The interface includes a menu bar (File, Edit, View, Favorites, Tools, Help) and a toolbar with buttons for 'New message', 'Reload', 'Download(Selected)*Plugin', and 'Delete'. The 'Transfer mode' is set to 'Standard'.

On the left, a sidebar shows the mailbox structure: Mailbox, Star, Inbox (selected), Sent, Draft, Trash, and Approval (Request (1), Result). A 'Clear' button is next to the 'Approval' folder.

The main area displays the 'Mailbox/Inbox' view. A search bar contains 'MessageID: AAA15111016370001@JP1'. Below it, a table lists messages:

<input type="checkbox"/>	Star	File	Label	Subject	From	Date	Status
<input type="checkbox"/>			Document	About the material	user_05@test-maker1.jp.d-cru	Wed 11 11 17:16 ,2015	Downloaded

Below the table, it says 'Page: 1 of 1' and 'Displaying 1 to 1 of 1 items'.

The selected message 'About the material' is expanded, showing the following details:

About the material [Reply] [Delete] [Check status]

From: user_05@test-maker1.jp.d-cruise.co.jp
 To: unregistered@example.com [more...](#)
 Date: Wed 11 11 17:16 ,2015
 MessageID: AAA15111016370001@JP1

Attached file list: (TotalSize: 100 MB, Expired: 11 21,2015) [Download *Plugin]

[AAA15111016370001@JP1/](#)

Message contents:

Hello,
 I'm sending you the documents about D.e-Express.
 Please read through it once.

Thank you,
 Gotaro

3. Fill out required fields and attach your files to reply.
The operations are same as New Message([Ref.1 2. Send]).

Reply message Window

https://mailbox.exp.d-cruise.jp/bwsn/main?bx=mbx&fr D.e-Express

TEST MAKER1 CORPORATION D11aro user01 Transfer mode: Standard

New message

Mailbox
Star
Inbox
Sent
Draft
Trash
Approval
Request (1)
Result

Clear

Reply[AAR]

From: user_01@test-maker1.jp.d-cruise.co.jp

To: user_05@test-maker1.jp.d-cruise.co.jp

ReportTo:

Subject: Re:About the material Label: Document

Attached:

☐ Plugin mode

Add

Delete

Keeping days: default Download password: ☐

Message:

Approver:

Comment to approver:

Send Cancel

6. Star

[Memo] You can view marked messages in a single list whether the message is from Sent folder or Inbox folder.


1. Click a star icon beside a message to mark.

==> The star on/off switches by clicking on star icon. Yellow star icon indicates "on".

Star (ON/OFF)

The screenshot shows a web browser window with the URL <https://mailbox.exp.d-cruise.jp/twsm/main?bx=mbx&fr>. The browser title is "D.e-Express". The interface includes a menu bar (File, Edit, View, Favorites, Tools, Help) and a toolbar with buttons like "New message", "Reload", "Download(Selected)*Plugin", and "Delete". A sidebar on the left shows a folder tree with "Mailbox" expanded, containing "Star", "Inbox", "Sent", "Draft", "Trash", "Approval", "Request (1)", and "Result". The "Inbox" folder is selected, and a "Clear" button is next to it. The main content area displays a list of messages under the heading "Mailbox/Inbox". The first message is selected, showing its details: "About the material" with a yellow star icon, a document icon, and a status of "Downloaded". The message header includes "MessageID: AAA15111016370001@JP1", "Label: ", "Date: YYYY/MM/DD - YYYY/MM/DD", and "Status: ". The message body shows the sender "user_05@test-maker1.jp d-cruise.co.jp", the recipient "unregistered@example.com", the date "Wed 11 11 17:16 ,2015", and the message ID "AAA15111016370001@JP1". It also lists an attached file "AAA15111016370001@JP1/" with a size of 100 MB and an expiration date of 11/21/2015. The message content is: "Hello, I'm sending you the documents about D.e-Express. Please read through it once. Thank you, Gotaro".

2. Click 'Star' folder.



==> You can view every yellow starred message within 'Star' folder.

7. Delete


[NOTE] You can't undo message deletion.

1. Click [Delete] button in the current message.
2. Click [OK] button of a confirmation dialog if you are sure to delete the message.

Delete current message

The screenshot shows the D.e-Express webmail interface. A confirmation dialog titled "Message from webpage" is displayed in the center, asking "Delete this message?" with "OK" and "Cancel" buttons. The background interface includes a left sidebar with folders like Mailbox, Star, Inbox, Sent, Draft, Trash, Approval, Request (1), and Result. The main area shows a message titled "About the material" from "user_05@test-maker1.jp.d-cruise.co.jp" dated "Wed 11 11 17:16, 2015". The message content includes an attached file list and a text body starting with "Hello, I'm sending you the documents about D.e-Express. Please read through it once. Thank you, Gotaro".


3. Check a checkbox beside target messages from the list.
4. Click [Delete] button at the top part of the window.
5. Click [OK] button of a confirmation dialog if you are sure to delete the message.




6. Deleted messages are in 'Trash' folder(*), though you can not put them back to where they were. Click [Clear] anchor beside 'Trash' folder to delete completely.

* You can download attached files of messages in 'Trash' folder. Note they are deleted after 30 days.

7. Click [OK] button of a confirmation dialog if you are sure to delete the message.




8. You see the result of deletion.



8. Search messages

[Memo] You can search messages in your folder with keywords.

Search messages



1. Click a target folder to search messages in it, and enter search conditions as below.
2. 'Subject', 'From', 'To', 'Message-ID(*)' : Search messages for a field with any keywords.
 * 'Message-ID' is common value both sent and received message.
 Select 'ALL' to search for these 4 fields at once.
3. 'Only new' : It narrows down to messages only unopened(*).
 * Bolded messages in the list.

4. 'Label' : Searches for messages labeled as follows by senders.

'Document', 'Reference', 'Approval', 'Formal', 'Preliminary'

5. 'Status' : Searches for messages in status as below.

Status

Status	[Trigger action] and description
InProgress	[Send] Messages just submitted from a sender.
ApprovalWaiting	[(System internal)] Messages waiting for approval in request folder.
Approved	[Approval] Messages just approved. It will be changed into 'Arrived' soon.
Rejected	[Rejection] Messages just rejected by an approver.
Arrived	[(System internal)] Messages in inbox folder of recipients and is not downloaded yet.
Downloaded	[Download] Messages downloaded by recipients.
Deleted	[Delete] Recipient or the system deleted attached files.
Canceled	[Cancel] Sender has canceled the sent message.
Error	[(System internal)] Bounced from unregistered recipient, or system error occurred.

6. 'Date' : Specify the target period for message date sent/arrived.

It have to be formatted as 'year(4digits)/month(2digits)/date(2digits)'.

7. Click [Search] button to execute searching.


==> Message list will be updated.

9. Detailed status


[Memo] You can look up operation history for any messages you have.

1. Select a message from the list.
2. Click [Check status] button.

Select a message



==> Detailed status window will be opened.




3. 'Date' : The date when the operation is done.
4. 'Status' : Status of the message at that time.
You can narrow Status and To by a filtering selectbox.
5. 'To' : Addressee that's specified by the sender.
You can narrow Status and To by a filtering selectbox.
6. 'Operational user' : A user ID of by who operated the action.

10. Addressbook


[Memo] You can register any addresses in Addressbook.

1. Addressbook resides in this address picker window.
You can use it just as you pick addresses from address picker.
2. Click [New address] button.

Addressbook Window




==> New address editor window will be opened.



3. Enter e-mail address. <REQUIRED>
4. Enter name(*).
5. Enter company name(*).
6. Enter division/department name(*).
* These are just for your reference and not disclosed to the other users.
7. Click [Register] button to save it into your personal addressbook.


[Memo] You can add to addressbook from Organization tree of address picker.




8. Select an organization to which the target person may belongs.
 9. Check a checkbox beside the target persons.
 10. Click [Add to "Addressbook"] button to register target users with pre-registered information in organization tree(*).
- * Address book is just as it is at the registration. Therefore, it won't follow updates of organization tree.

[Memo] You also can register into addressbook from From/To fields of sent/received messages.

11. Click address string in 'From' or 'To' field.



==> Address editor window will be opened.




12. Enter each field and click [Register] button.

[Memo] Here's how you can modify existing addressbook items.


- Click 'Address' anchor from the address list of Addressbook.

Addressbook Window




==> Address editor window will be opened.

Address editor Window



- Update each field and click [Register] button.



15. To delete existing addressbook item, check a checkbox beside items to delete.
16. Click [Delete] button. Confirmation dialog will be shown.
17. Click [OK] button of a confirmation dialog if you are sure to delete the item(s).

11. Draft

Save draft message

https://mailbox.exp.d-cruise.jp/twsm/main D.e-Express

TEST MAKER1 CORPORATION 05taro user05

Transfer mode: Standard

New message

Mailbox
Star
Inbox
Sent
Draft
Trash
Approval
Request
Result

Clear

Standard[AAA]

From: user_05@test-maker1.jp d-cruise.co.jp

To: user_01@test-maker1.jp d-cruise.co.jp,unregistered@example.com

ReportTo: report-to-unregistered@example.com

Subject: About the material Label: Document

Attached:

Plugin mode

Add

Delete

Keeping days: 9 days Download password: ☐


Message: To whom concerned,
Hello,
I'm sending you the documents about D.e-Express.
Please read through it once.

Approver: 01taro user01

Comment to approver: This is our customer requested to have.
Please approve it.

Send Save Save as new Cancel

1. You can save your message under editing by clicking [Save] button or [Save as new] button.
Note that you can save entire message body except for attachment files.
2. The saved messages will be stored in 'Draft' folder.(*)
* Saved draft messages are never deleted automatically.



3. Click [Draft] folder.
4. Select the target draft message to edit.
5. Click [Edit] button.(*)
 - ==> Draft message editor window will be opened.
 - * Edit button will not be shown if the definition of sending function is removed, or the permission is revoked.

6. Fill out to complete the draft message. And you can send it as a new message(*).

* The operations are same as New Message([Ref.] 2. Send).

Draft message editor Window

File Edit View Favorites Tools Help

TEST MAKER1 CORPORATION 05taro user05

Transfer mode: Standard

New message

Mailbox

Star

Inbox

Sent

Draft

Trash

Approval

Request

Result

Clear

Standard[AAA]

From: user_05@test-maker1.jp.d-cruise.co.jp

To: user_01@test-maker1.jp.d-cruise.co.jp,unregistered@example.com

ReportTo: report-to-unregistered@example.com

Subject: About the material

Label: Document

Attached:

Plugin mode

Add

Delete

Keeping days: 9 days

Download password: ☐

Message: To whom concerned, Hello, I'm sending you the documents about D.e-Express. Please read through it once.

Approver: 01taro user01


Comment to approver: This is our customer requested to have. Please approve it.

Send Save Save as new Cancel

Note that a message which is actually sent out is a different entity from the draft message.

So the saved draft message stays still in 'Draft' folder. And you can edit to send the draft message repeatedly.

Saved draft messages are never deleted automatically.



7. You can create a new message from a sent message as a template.

8. Click [Edit] button just as draft message(*).

Note that you can not create a new message from a sent message which you sent as a reply.

* Edit button will not be shown if the definition of sending function is removed, or the permission is revoked.

Create from Sent

The screenshot shows a web browser window with the URL <https://mailbox.exp.d-cruise.jp/twsn/main>. The interface includes a sidebar with a folder tree (Mailbox, Star, Inbox, Sent, Draft, Trash, Approval, Request, Result) and a main content area. The main area displays a table of sent messages under the heading "Mailbox/Sent".

	Star	File	Label	Subject	To	Date	Status
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		test send	user_01@test-maker1.jp.d	Wed 11 11 17:35 ,2015	Deleted
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		test mail	user_05@test-maker1.jp.d	Wed 11 11 16:43 ,2015	Downloaded
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Document	About the material	unregistered@example.coi	Mon 11 09 23:37 ,2015	Downloaded
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Document	About the material	unregistered@example.coi	Mon 11 09 01:22 ,2015	ApprovalWaiting
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		test send	user_05@test-maker1.jp.d	Sun 11 08 21:35 ,2015	Arrived

Page: 1 of 14 items

About the material [Cancel] [Edit] [Delete] [Check status]

From : user_05@test-maker1.jp.d-cruise.co.jp
 To : unregistered@example.com [more...](#)
 Approver : user_01@test-maker1.jp.d-cruise.co.jp
 Date : Mon 11 09 01:22 ,2015
 MessageID : AAA15110918220001@JP1


Attached file list: (TotalSize: 100 MB, Keeping days: 9 Days) [Download *Plugin](#)


[AAA15110918220001@JP1/](#)

Comment to approver:
 This is our customer requested to have.
 Please approve it.

Message contents:
 Hello,
 I'm sending you the documents about D.e-Express.
 Please read through it once.

12. Preference

1. Click the setting icon .



2. Personal preference window will be opened. In this preference, you can select which notification e-mail to receive.

Setting Items

Item	Occasion
Approval request	On you get approval request from the other sender
Approval result	On you get approved/rejected for your sending
Sent	On your message's got sent out
Arrival	On you get a message
Password [1]	On a sender specifies a password onto the message to you(required)
Downloaded	On a recipient downloads file(s) you've sent
Sending Completion Notice	Sender sent a message and you were added to notice address of the message by sender.
Downloading Completion Notice [2]	Receiver user downloaded a message and you were added to notice address of the message by sender.
Bounced	On bounce back from an unregistered recipient(such as wrong address)
Error	On a system error(such as transmission failure)
Download reminder	You have messages which have not downloaded yet.
Approval reminder	You have messages which have not approved/rejected yet.

[1] Note that [Password] notification e-mail can't be turned off because of its significance.

[2] default off

Preference Window

The screenshot shows the D.e-Express web interface. The browser address bar displays <https://mailbox.exp.d-cruise.jp/twsm/main>. The page title is "D.e-Express". The interface includes a menu bar (File, Edit, View, Favorites, Tools, Help) and a toolbar with buttons for "New message", "Retried", "Download/Selected Message", and "Delete". The "Transfer mode" is set to "Standard". The left sidebar shows a folder structure: Mailbox, Star, Inbox (selected), Sent, Draft, Trash, Approval, Request, and Result. The main content area shows "Mailbox/Inbox" with filters for "Subject" and "Date", and a "Label" dropdown. The "Only new" checkbox is checked. The "Personal preference" dialog box is open, titled "Receiving notification mails". It contains a table with columns "Item", "Occasion", and "Receive". The table lists various notification items, most of which are checked in the "Receive" column. The "Downloading Completion Notice" item is unchecked. The dialog box has "Save" and "Cancel" buttons at the bottom.

Item	Occasion	Receive
Approval request	On you get approval request from the other sender	<input checked="" type="checkbox"/>
Approval result	On you get approved/rejected for your sending	<input checked="" type="checkbox"/>
Sent	On your message's got sent out	<input checked="" type="checkbox"/>
Arrival	On you get a message	<input checked="" type="checkbox"/>
Password	On a sender specifies a password onto the message to you (required)	<input checked="" type="checkbox"/>
Downloaded	On a recipient downloads file(s) you've sent	<input checked="" type="checkbox"/>
Sending Completion Notice	Sender sent a message and you were added to notice address of the message by sender.	<input checked="" type="checkbox"/>
Downloading Completion Notice	Receiver user downloaded a message and you were added to notice address of the message by sender.	<input type="checkbox"/>
Bounced	On bounce back from an unregistered recipient(such as wrong address)	<input checked="" type="checkbox"/>

3. For example, it turns off [Downloaded] notification e-mail in this case above.
4. After you changed item(s), click [Save] button.

13. Send with ActiveX Plug-in

[Memo] ActiveX Plug-in extends standard uploading function of Internet Explorer to provide better file exchange experiences.

[NOTE] Please [install the ActiveX Plug-in](#) before you start following operations.

1. Open message edit window and fill out input fields as normal procedure([Ref.] 2. Send).
2. Check the checkbox labeled as [Plugin mode].
3. (See [\[Ref\] Network Environment Settings on Using ActiveX Plug-in](#) below for it)
4. Drag your local files/folders and drop them onto the 'Attached' area of the page.Or you can select files/folders with standard chooser dialog by clicking [Refer] button.
5. Click [Send] button to send the message.

New Message Window

https://mailbox.exp.d-cruise.jp/bwsmv/main

File Edit View Favorites Tools Help

TEST MAKER1 CORPORATION 05taru user05

Transfer mode: Plugin(High-Speed)

New message

Mailbox

- Star
- Inbox
- Sent
- Draft
- Trash
- Approval
- Request
- Result

Standard[AAA]

From: user_05@test-maker1.jp.d-cruise.co.jp

To: user_01@test-maker1.jp.d-cruise.co.jp.unregistered@example.com

ReportTo: report-to-unregistered@example.com

Subject: About the material

Label: Document

Attached: Total: 101MB / 4 files

Name	Size	Full Path
folder	1.64MB/2 files	C:\Users\Tester\Documents\folder
About PC Environment.doc	60.2KB	C:\Users\Tester\Documents\folder\ff...
Manual.pdf	100MB	C:\Users\Tester\Documents\folder\ff...

Refer

Delete

Plugin mode

Keeping days: 9 days

Download password:

Message: To whom concerned,

Hello,

I'm sending you the documents about D.e-Express.

Please read through it once.

Thank you,

Gotaro

Approver: 01taru user01

Comment to approver: This is our customer requested to have. Please approve it.

Send Save Save as new Cancel

[Memo] A dialog will be shown below, on your first ActiveX Plug-in call.

Please read through it and click [OK] button.

Message from webpage

With ActiveX Plug-in, you'll be able to use these functions:

- To upload/download multiple file items including folders.
- To upload files/folders by drag and drop.
- Background upload/download by File Transfer Manager.

It also retries upload/download automatically on network connection failure.

[NOTE]

The requirements for using ActiveX Plug-in are as follows:

- To Log on to Windows as a user with Administrator. (*on installing/updating)
- [For Windows 7] Add D.e-Express URL into Trusted Sites Zone of Internet Explorer.

* For more information, please see the top page and installer/updater page.

Are you sure you want switch to [Plug-in] mode?

OK Cancel

Limitation and condition of attachment files/folders


Item	Limitation/condition
Length of file path	224 letters and 255 bytes(UTF-8) at max.
File type	No limitation(Configurable by send function.)
Prohibited Characters on file name	* < > " ¥ / : ? % , & (Highlighted characters are prohibited on Windows)
Numbers of files/File size	Up to 100GB/unlimited files(Depends on computer performance)

[Memo] Upload will be performed by a process(EXE) different from Internet Explorer(*).

* It's called 'FTM(File Transfer Manager)'. Once FTM start transferring, you can close Internet Explorer. FTM can continue transfer independently.

[NOTE] DO NOT edit or delete the attached file while uploading.

Transferring




6. A balloon will tell you 'Finished!' on completion of transferring as this image.

Actual delivery is made after it's got approved by the approver(*).

* If the sending's set to 'without-approval', the message will be delivered directly.

Transferring



[Ref] Your sent message is stored in 'Sent' folder(*).

* It's deleted after 30 days for files/folders, 365 days for message record, normally.

[Ref] Network Environment Settings on Using ActiveX Plug-in

Transferring block size can be configured for your network condition(*) before start transferring.

With [Plugin(Normal)] as default is more efficient as its larger block sizing.

Choose [Plugin(Durability)] if your network environment is unstable.

Block size will be 1MB for [Plugin(Normal)], and 100KB for [Plugin(Durability)].

* This configuration can be applied only to upload/download with ActiveX Plug-in. Small transfer block can be easily resent on network errors. On the other hands, the increased block numbers can be lowering the total efficiency.

14. Receive with ActiveX Plug-in


[Memo] ActiveX Plug-in extends standard downloading function of Internet Explorer to provide better file exchange experiences.

[NOTE] Please [install the ActiveX Plug-in](#) before you start following operations.


1. Click a message you want to download from the message list.
2. (See [\[Ref\] Network Environment Settings on Using ActiveX Plug-in](#) below for it)
3. Click [Download *Plugin] button. A dialog will be shown below, on your first ActiveX Plug-in call. Please read through it and click [OK] button.

By checking-off beside file name, you can exclude the file(s) from the downloading package.

Single message download




[Memo] A dialog will be shown below, on your first ActiveX Plug-in call.
Please read through it and click [OK] button.



4. Or, you may want to download more than one message at a time.


To download multiple messages, check a checkbox beside target messages and click [Download(Selected) *Plugin] button.

Multiple message download



5. Select download target folder to save the attachments by the folder browser dialog window.


Folder browser dialog



[Memo] Download will be performed by a process(EXE) different from Internet Explorer(*).

* It's called 'FTM(File Transfer Manager)'. Once FTM start transferring, you can close Internet Explorer. FTM can continue transfer independently.


Transferring



6. A balloon will tell you 'Finished!' on completion of transferring as this image.

==> Please check download file(s) in your local folder, then.

Transfer completed




7. Download files will be in a Message-ID folder(*).

* "(Temp)" is added to the download folder while downloading.

Or the folder name can be a Message-ID with numeric suffix(*) if the target folder has already a folder that has the same name as the Message-ID.

* Up to several duplication.



[Ref]You'll possibly have some incomplete files when downloading is cancelled(for any reason). Please delete them if you don't have to keep it.

[Ref]You can cancel download transaction at anytime by closing the FTM(File Transfer Manager). To do so, just click [X] button on the top-right corner of the FTM window.

[Ref] Network Environment Settings on Using ActiveX Plug-in

Transferring block size can be configured for your network condition(*) before start transferring.

With [Plugin(Normal)] as default is more efficient as its larger block sizing.

Choose [Plugin(Durability)] if your network environment is unstable.

Block size will be 1MB for [Plugin(Normal)], and 100KB for [Plugin(Durability)].

* This configuration can be applied only to upload/download with ActiveX Plug-in. Small transfer block can be easily resent on network errors. On the other hands, the increased block numbers can be lowering the total efficiency.


15. High-Speed option

[Memo] D.e-Express provides High-Speed option that makes more easy and fast on large file transfer.

[NOTE] The transfer speed on High-Speed option depends on customer's network conditions.


1. High-Speed option is available when you see the icon 🟢 that's on right-top.
2. Please select [Plugin(High-Speed)] from transfer mode.

Availability



3. See [13. Send with ActiveX Plug-in](#) and [14. Receive with ActiveX Plug-in](#) for sending and receiving instructions.
- * In hi-speed mode, upload/download icon of the session will be marked with "A" on the File Transfer Manager.

Send / Receive



16. Cancellation

[Memo] You can cancel sent message from "Sent" folder.


The attachment files will be disabled to download after the cancellation.

The receiver only can delete or check the message status.

If the message is in "Approval Waiting" status, the message cannot be approved.

1. Select "Sent" folder
2. Select a message
3. Click on "Cancel" button and open "Cancellation reason (to approver)" window.


Select message



4. Enter the reason for cancellation to approver(Only in case of the message required approval from approver)

* This reason will not be noticed to the receiver.


Cancellation reason (to approver) Window



5. Click on "Yes" then the message will be cancelled.

6. See [\[Ref.\] 9. Detailed status](#) for you can check the cancellation status on "Check message status" window.


Check message status Window



[Memo] The approver will see the cancelled message like following image.(*)


* The message with "Approval Waiting" status moves to "Result" folder after the cancellation.

Cancellation result for approver



[Memo] The receiver will see the cancelled message like following image.

Cancellation result for receiver



17. Log viewer

[Memo] Display operation logs that's scope is within your company and the destination user operation that's related with your company.

[NOTE] This function is only available for approvers and other users who were applied for D.e-Express special user.


-The approver can see the operations of users who were approved by the approver and approver itself.

-The special users can see the operations that's scope is within their company.

-The destination user operation means the message operation that's related with the approver's scope.

1. Click on foot step icon

Open "Log viewer" with separated window.



2. Enter the search key and click on "Search" button.

- * Multiple searching keywords are available with inserting space character between every keyword and that represents "or".
- * You can include space character with enclosed double quotation("") on block of searching words.

Log search

Log viewer

Operation Information

Division Name* Operation Type ☐ Sent ☐ Approved ☐ Rejected ☐ Arrived ☐ Downloaded

User Name/ID* Operation Date (Required) 2015 / 11 (Year / Month)

Message Information

From or To Name/ID* File Name*

Approver Name/ID* Total Attachment Size MB and over ▼

* Multiple searching keywords are available with inserting space character between every keyword and that represents "or".
You can include space character with enclosed double quotation("") on block of searching words.

Searching Item

Operation Information	A	Division Name	Division of operator.
	B	User Name/ID	Operator name or ID.
	C	Operation Type	Select from "Sent", "Approved", "Rejected", "Arrived", and "Downloaded" (If not selected, everything is searched)
	D	Operation Date	Operation year and month(Required)
Message Information	E	From or To Name/ID	Sender or destination name or ID
	F	Approver Name/ID	Approver name or ID
	G	File Name	Attachment file name
	H	Total Attachment Size	Attachment file size in total with Mbyte.
	I	Range of Attachment Size	The range ("and over" or "and less")

- Click on attachment file count or size to view the detail of attachment files.

Search results Window

From		To		Approver		Attachments	
ID	Name	ID	Name	ID	Name	File Count	File Size
test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	-	unregistered@example.com	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	01taro user01	user_01@test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	-	unregistered@example.com	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	01taro user01	user_01@test-maker1.jp.d-cruise.co.jp	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	-	unregistered@example.com	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	1File(s)	60.2 KB	
test-maker1.jp.d-cruise.co.jp	01taro user01	user_01@test-maker1.jp.d-cruise.co.jp	01taro user01	user_01@test-maker1.jp.d-cruise.co.jp	2File(s)	100 MB	

- Displaying attachment files of selected message operation.

* Displaying maximum 100 files or folders at once. If you see entire attachment files or folders, please [download message log](#).

- Click on "Close" button and back to Log viewer window.

Attachment File List Window

#	Directory	File Name	File Size
1	/	About PC Environment.doc	60.2 KB
2	/	Manual.pdf	100 MB

close

6. This searching result can be downloaded in TSV format. Click on "Log File Download"

Search results Window

[Log viewer](#)

Operation Information	Division Name*	<input type="text"/>	Operation Type	<input type="checkbox"/> Sent	<input type="checkbox"/> Approved	<input type="checkbox"/> Rejected	<input type="checkbox"/> Arrived	<input type="checkbox"/> Downloaded
	User Name/ID*	<input type="text"/>	Operation Date(Required)	2015 / 11 (Year / Month)				
Message Information	From or To Name/ID*	<input type="text"/>	File Name*	<input type="text"/>				
	Approver Name/ID*	<input type="text"/>	Total Attachment Size	<input type="text"/> MB and over ▼				

* Multiple searching keywords are available with inserting space character between every keyword and that represents "or".
You can include space character with enclosed double quotation(") on block of searching words.

Log File Download

1 - 73 of 73 items Page 1 of 1

Operation		Operator			Message ID	From			N
Date	Operation	Division	Name	ID		Name	ID		
Wed 11 11 22:59 ,2015	Downloaded	Engineering Div.	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	AAA15111215590001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	05tarc	
Wed 11 11 22:59 ,2015	Arrived	Engineering Div.	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	AAA15111215590001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	05tarc	
Wed 11 11 22:59 ,2015	Sent	Engineering Div.	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	AAA15111215590001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	05tarc	
Wed 11 11 22:58 ,2015	Arrived	-	-	unregistered@example.com	AAA15111215580001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	01tarc	
Wed 11 11 22:58 ,2015	Arrived	Administration Div.	01taro user01	user_01@test-maker1.jp.d-cruise.co.jp	AAA15111215580001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	01tarc	
Wed 11 11 22:58 ,2015	Sent	Engineering Div.	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	AAA15111215580001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	01tarc	
Wed 11 11 22:57 ,2015	Downloaded	Administration Div.	01taro user01	user_01@test-maker1.jp.d-cruise.co.jp	AAA15111215570001@JP1	05taro user05	user_05@test-maker1.jp.d-cruise.co.jp	01tarc	